

## References

- ANSI (American National Standards Institute). 2005. Measurements of Sound Pressure Levels in Air (ANSI S1.13-2005). New York: Acoustical Society of America.
- Clark C.W. and Ellison W.T. (2004) Potential use of low-frequency sounds by baleen whales for probing the environment: evidence from models and empirical measurements. In: Thomas JA, Moss CF, Vater M (eds) Advances in the study of echolocation in bats and dolphins. University of Chicago Press, Chicago, IL, p 564– 589.
- Clark, C. W., Ellison, W. T., Southall, B. L., Hatch, L., Van Parijs, S. M., Frankel, A., and Ponirakis, D. (2009). “Acoustic masking in marine ecosystems: intuitions, analysis, and implication”, Marine Ecology Progress Series, 395, 201-222.
- ECOES (2010). Protected Species Sightings Summary Report: Neptune LNG Pipeline Construction Project: 01 July 2008 through 30 June 2010. Submitted to NMFS on behalf of Suez Energy. 26pp.
- ECOES (2012). Protected Species Sightings Summary Report: Neptune LNG Pipeline Operations July 13, 2011 through July 13, 2012. Submitted on behalf of GDF Suez Energy NA Neptune LNG, LLC. 6pp.
- Erbe, C., C. Reichmuth, K. Cunningham, K. Lucke, and R. Dooling. 2016.“Communication masking in marine mammals: A review and research strategy. Marine Pollution Bulletin 103 (1-2): 15-38.
- Finneran, J. J., Schlundt, C. E., Dear, R., Carder, D. A., and S. H. Ridgway (2002). “Temporary shift in masked hearing thresholds (MTTS) in odontocetes after exposure to single underwater impulses from a seismic watergun”, Journal of the Acoustical Society of America, 111, 2929-2940.
- Finneran, J. J., Carder, D. A., Schlundt, C. E., and Ridgway, S. H. (2005). “Temporary threshold shift (TTS) in bottlenose dolphins (*Tursiops truncatus*) exposed to mid-frequency tones”, Journal of the Acoustical Society of America 118, 2696-2705.
- Foote, A. D., Osborne, R. W., and Hoelzel, A. R. (2004). “Whale-call response to masking boat noise”, Nature 428, 910.
- Hildebrand, J. A. (2009). “Anthropogenic and natural sources of ambient noise in the ocean”, Marine Ecology Progress Series 139, 5-20.
- Holt, M. M., Noren, D. P., Veirs, V., Emmons, C. K., and Veirs, S. (2009). “Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise”, Journal of the Acoustical Society of America, 125, EL27-EL32.
- Holt, M., Noren, D., Emmons, C. (2011). Effects of noise levels and call types on the source

- levels of killer whale calls. *J. Acoust. Soc. Am.* 130 (5), 3100–3106.
- Kastak, D., and Schusterman, R. J. (1999). “In-air and underwater hearing sensitivity of a northern elephant seal (*Mirounga angustirostris*)”, *Canadian Journal of Zoology* 77, 1751-1758.
- Kastak, D., and Insley, S. (2005) . “Noise effects on pinniped hearing,” in Environmental Consequences of Underwater Sound Washington, D.C.
- Laurinolli, M.H., C.D.S. Tollefson, S.A. Carr, and S.P. Turner. (2005). Noise sources of the Neptune Project and propagation modeling of underwater noise. In: LGL Limited and JASCO Research Limited. 2005. Assessment of the Effects of Underwater Noise from the Proposed Neptune LNG Project. October 12, 2005.
- Mooney, T.A. Nachtigall, P.E., Breese, M., Vlachos, S., and W. W. Au. (2009a). Predicting temporary threshold shifts in a bottlenose dolphin (*Tursiops truncatus*): the effects of noise level and duration. *J Acoust Soc Am* 125 (3) 1816-1826
- Mooney, T.A. Nachtigall, P.E. and S. Vlachos. (2009b). Sonar-induced temporary hearing loss in dolphins. *Biol Lett* 5(4): 565-567.
- Nachtigall, P. E., Pawloski, J. L., and Au, W. W. 2003 . “Temporary thresh- old shifts and recovery following noise exposure in the Atlantic bottle- nosed dolphin *Tursiops truncates* ,” *J. Acoust. Soc. Am.* 113 , 3425–3429.
- Navy. 2007. Navy OPAREA Density Estimate (NODE) for the Northeast OPAREAs. Prepared for the Department of the Navy, U.S. Fleet Forces Command, Norfolk, Virginia. Contract No. N62470-02-D-9997, CTO 0030. Prepared by Geo-Marine, Inc., Hampton, Virginia.
- NMFS. (2010). Endangered Species Act Section 7 Formal Consultation for the Operation, Maintenance, and Repair of the Neptune Liquefied Natural Gas Port and Algonquin Pipeline Lateral in Massachusetts Bay. F/NER/2010/014SS. National Marine Fisheries Service Greater Atlantic Regional Fisheries Office, Gloucester, MA. July 12.
- National Marine Fisheries Service. 2016. Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing: Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Dept. of Commer., NOAA. NOAA Technical Memorandum NMFS-OPR-55, 178 p.
- Knowlton, A.R. and S.D. Kraus. 2001. Mortality and serious injury of northern right whales (*Eubalaena glacialis*) in the western North Atlantic Ocean. *J. Cetacean Res. Manage.* (Special Issue) 2:193-208.
- Nowacek, D.P., Johnson, M.P., and Tyack, P.L., 2004. Right whales ignore ships but respond to alarm stimuli. *Proceedings of the Royal Society B: Biological Sciences*, 271, 227-231.

Laist, D.W., A.R. Knowlton, J.G. Mead, A.S. Collet and M. Podesta. 2001. Collisions between ships and whales. *Marine Mammal Science*, 17(1):35-75.

Roberts J.J., Best B.D., Mannocci L., Fujioka E., Halpin P.N., Palka D.L., Garrison L.P., Mullin K.D., Cole TVN, Khan CB, McLellan WM, Pabst DA, Lockhart GG (2016) Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports* 6: 22615. doi:10.1038/srep22615

Richardson, W.J., Greene, Jr., C. R., Malme, C. I., and Thomson, D. H. (1995). *Marine Mammals and Noise*. Academic Press. San Diego, California. 576 pp.

Scheifele, P.M., Andrew, S., Cooper, R.A., Darre, M., Musiek, F.E., Max, L., 2005. Indication of a Lombard vocal response in the St. Lawrence River beluga. *J. Acoust. Soc. Am.* 117 (3), 1486–1492.

Schlundt, C. E., Finneran, J. J., Carder, D. A., and Ridgway, S. H. (2000). “Temporary shift in masked hearing thresholds (MTTS) of bottlenose dolphins and white whales after exposure to intense tones”, *Journal of the Acoustical Society of America* 107, 3496-3508.

Schusterman, R. J., Kastak, D., Levenson, D. L., Reichmuth, C. R., and Southall, B. L 2000. “Why pinnipeds don’t echolocate,” *J. Acoust. Soc. Am.* 107, 2256–2264.

Southall, B. L., Bowles, A. E., Ellison, W. T., Finneran, J. J., Gentry, R. L., Greene, Jr., C. R., Kastak, D., Ketten, D. R., Miller, J. H., Nachtigall, P. E., Richardson, W. J., Thomas, J. A., and Tyack, P. L. (2007). “Marine mammal noise exposure criteria: Initial scientific recommendations”, *Aquatic Mammals* 33, 411-521.

Waring G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2015. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2014. NOAA Tech Memo NMFS NE 231; 361 pp. doi:10.7289/V5TQ5ZH0.

Vanderlaan, A. S. M., and C. T. Taggart. 2009. Efficacy of voluntary areas to be avoided to reduce risk of lethal vessel strikes to endangered whales. *Conservation Biology* 23:1467–1474.